



PowerSource G80 Mobile Environmental Generator



All new compact mobile generator system from Ingersoll Rand

- Designed to be compact, yet quiet.
- Maximum performance even in extreme temperature conditions.

Moving made easy

- Rugged mobile system featuring torsion suspension for enhanced stability and easy towing.
- Tandem axle running gear is available with choice of electric or hydraulic surge brakes.
- Running gear is easily detached for stationary applications.



Product Specifications		G80
Generator		
Three Phase Prime Power Rating @ 0.8 PF	kVA (kW)	83 (66)
Available Voltages	3Ø	208/220/240/416/440/460/480
	1Ø	110/127/139/240/254/266/277
Amperage Output @ 480V-3Ø	A	100
Amperage Output @ 240V-3Ø	A	200
Amperage Output @ 208V-3Ø	A	194
Amperage Output @ 240V-1Ø	A	163
Amperage Output @ 120V-1Ø	A	2 x 163
Steady State Voltage Regulation	%	+/- 0.5
Motor Starting kVA @ 35% Voltage Dip	SkVA	215
Engine		
Make		Ingersoll Rand
Number of Cylinders		4
Displacement	L	4.5
Horsepower Developed @ 1800 RPM	HP	102
Steady State Frequency Regulation	%	+/- 0.25
Fuel Consumption @ 25% Load	GPH (LPH)	1.7 (6.4)
Fuel Consumption @ 50% Load	GPH (LPH)	3.0 (11.4)
Fuel Consumption @ 75% Load	GPH (LPH)	4.3 (16.3)
Fuel Consumption @ 100% Load	GPH (LPH)	5.7 (21.6)
Fuel Cell Capacity	Gal (L)	103 (389.9)
Weights & Dimensions (w/ Running Gear)		
Length × Width × Height	in	154 × 68 × 77
	mm	3912 × 1727 × 1956
Shipping Weight	lb (kg)	4453 (1662)
Weight (Ready to Run)	lb (kg)	5174 (1931)
Weights & Dimensions (Skidmount)		
Length × Width × Height	in	96 × 38 × 64
	mm	2438 × 965 × 1626
Shipping Weight	lb (kg)	3921 (1463)
Weight (Ready to Run)	lb (kg)	4642 (1733)
Sound Level @ 23ft (7m) @ 100% Load	dB(A)	67

Packed with features

- AREP alternator technology provides superior motor starting capability.
- Voltage selector switch allows for a wide range of voltage to suit any application.
- Class H insulation for prolonged life.
- Fluid containment system ensures fluids cannot leak from the unit and cause environmental contamination.
- High capacity double wall fuel system sized for 24-hour runtime.
- Premium engine systems maximize performance, reliability and fuel economy while meeting EPA emission regulations.
- Rugged enclosure is designed for the rigors of construction and rental environments and is engineered to achieve low noise levels.

Simple to operate

- Controls and connection points are grouped at the rear of the unit for easy access.
- The G80 features a spacious terminal board for easy direct hookup of power cables and a variety of receptacles, each protected by a circuit breaker, for safe and easy connection.
- Easy to read array of gauges and indicator lamps provides for at a glance control and monitoring with minimal operator training required.



Turnkey Industries is an expert in the field of purchasing and selling pre-owned industrial generators. We offer many different brands, sizes, and capacities of generators. We fulfill orders across the country and beyond, and our elaborate preparatory processes ensure that our equipment is ready for immediate usage on arrival.

[See All Inventory](#)



**Immediate
Availability**



**Worldwide
Delivery**



**Low Hour
Generator Sets**

Contact Us



sales@turnkey-industries.com



713-823-0890



Turnkey Industries, LLC
P.O. Box 3876 Humble, TX 77347

